





Zelta

*FLAMEPROOF
INDUSTRIAL TUBELIGHT*



Application Areas



OFFICES



BANKS



HEALTHCARE



RETAIL



EDUCATIONAL
INSTITUTE



COMMON
AREA



Zelta

LED IP66 FLAMEPROOF INDUSTRIAL TUBELIGHT

Zelta Flameproof Tubelight fitting is made of Aluminium enclosure & transparent clear glass cover. LED Tubelights are inbuilt in the fixture. It has got IP65 rating and suitable for the hazardous areas with gases/vapours. These are lit-up instantly. These are more durable and energy efficient as compared to conventional lights

Luminaire Details


Product Name	: Zelta
Product Type	: Flameproof Tubelight
LED Type	: SMD
Fixture Type	: Surface
Dimmable	: Non Dimmable

Luminaire Source Details

Light Emission	: Area Lighting
Source Brand	: Bridgelux / Seoul
CRI	: ≥80
McAdam Binning	: Step 5

Luminaire Housing

Body	: Die-Cast Aluminium
Reflector Type	: Glass
Operating Temperature	: -10° to 50° C
Humidity	: RH 10-90 %
IP Rating	: IP65
Emergency Compatibility	: Not Compatible



3000K 6500K

Correlated Color Temperature

Ingress Protection
IP65

LM
80

IK
07

TM
21

Technical Specifications

Wattage	30W	45W
Product Code	ZLT-TB-FLP-20	ZLT-TB-FLP-40
Nominal Input Voltage	240V AC, 50Hz	240V AC, 50Hz
Luminous Flux	2000*	4000*
Color Temperature	6500K	6500K
CRI	≥80	≥80
P.F.	>0.95	>0.95
THD	<20%	<20%
Surge Protection	4KV	4KV
IP Rating	IP65	IP65
Beam Angle	120°	120°
Front Cover	Clear	Clear
Secondary Optics (Lens)	No	No
Mounting	Suspended	Suspended
Fixture Color	Grey	GreyGreyGrey
Applicable Area	IIA, IIB	IIA, IIB
Dimensions(mm)(LXW)	1365 X 125	1365 X 270

Line Diagram

