




# Arena

## SUSPENDED RING LIGHT



### Application Areas



OFFICES



BANKS



HEALTHCARE



RETAIL



EDUCATIONAL  
INSTITUTE



COMMON  
AREA



# Arena

## SUSPENDED RING LIGHT

Arena Suspended Ring Light is manufactured with Aluminium material and opal diffuser having high quality powder coating finish for premium look. Wide lighting width for lighting and hollow space in the centre gives a very elegant look to overall luminaire. Powder coating not only enhances the aesthetic but also add durability. It's designed to provide evenly diffused light and promising well-lit space. It's suitable for Office, Restaurant, Hotels, Gyms etc.

### Luminaire Details


Product Name	: Arena
Product Type	: SMD Ring Light
LED Type	: SMD
Fixture Type	: Suspended
Dimmable	: 0-10V, DALI, Phase-Cut

### Luminaire Source Details

Light Emission	: Indoor Space Lighting
Source Brand	: Bridgelux / Seoul
CRI	: ≥80
McAdam Binning	: Step 5

### Luminaire Housing

Body	: Aluminium
Reflector	: No
Diffuser Type	: Milky
Operating Temperature	: -10° to 50° C
Humidity	: RH 10-90 %
IP Rating	: IP20



Ingress Protection  
**IP20**

**LM**  
**79**



**LM**  
**80**

**TM**  
**21**

# Technical Specifications

Wattage	30W	40W	60W	80W
Product Code	ARA-SRL-30	ARA-SRL-40	ARA-SRL-60	ARA-SRL-80
Nominal Input Voltage	240V AC, 50Hz	240V AC, 50Hz	240V AC, 50Hz	240V AC, 50Hz
Luminous Flux	2700*	3600*	5400*	7200*
Color Temperature	6500K/4000K/3000K	6500K/4000K/3000K	6500K/4000K/3000K	6500K/ 3000K
CRI	≥80	≥80	≥80	≥80
P.F.	>0.95	>0.95	>0.95	>0.95
THD	<10%	<10%	<10%	<10%
Surge Protection	Up to 4KV	Up to 4KV	Up to 4KV	Up to 4KV
IP Rating	IP20	IP20	IP20	IP20
Beam Angle	120°	120°	120°	120°
Mounting	Suspended	Suspended	Suspended	Suspended
Fixture Color	White/Black	White/Black	White/Black	White/Black
Dimensions(mm)	Overall Dia(Ø): 450 Litup Width(b): 50 Height(h): 70	Overall Dia(Ø): 600 Litup Width(b): 50 Height(h): 70	Overall Dia(Ø): 750 Litup Width(b): 50 Height(h): 70	Overall Dia(Ø): 900 Litup Width(b): 50 Height(h): 70
Shape	Ring	Ring	Ring	Ring

## Line Diagram



## Photometric Details