





Avioris

SUSPENDED
LINEAR LIGHT



Application Areas



OFFICES



BANKS



HEALTHCARE



RETAIL



EDUCATIONAL
INSTITUTE



COMMON
AREA



Avioris

SUSPENDED LINEAR SPOT LIGHT

The Suspended Linear Spot Light features an extruded aluminium body with high-efficiency SMD LEDs and reflectors for bright, low-glare illumination. Available in white or black powder coating, with custom colours on request, it supports suspended mounting and dimmable drivers for adaptable lighting control. Optional dummy diffusers can be added between LED modules to achieve a distinctive designer look.

Luminaire Details


Product Name	: Avioris
Product Type	: Linear Spot Light
LED Type	: SMD / COB
Fixture Type	: Suspended
Dimmable	: 0-10V, DALI, Phase-Cut

Luminaire Source Details

Light Emission	: Indoor Space Lighting
Source Brand	: Bridgelux / Seoul
CRI	: ≥80
McAdam Binning	: Step 5

Luminaire Housing

Body	: Extruded Aluminium
Reflector	: Yes
Diffuser Type	: No/Prismatic
Operating Temperature	: -10° to 50° C
Humidity	: RH 10-90 %
IP Rating	: IP20



Ingress Protection
IP20

LM
79

LM
80

TM
21

Technical Specifications

Wattage	30W
Product Code	AVS-SLSL1-30
Nominal Input Voltage	240V AC, 50Hz
Luminous Flux	2700*
Color Temperature	6500K/4000K/3000K
CRI	≥80
P.F.	>0.95
THD	<10%
Surge Protection	Up to 4KV
IP Rating	IP20
Mounting	Suspended
Fixture Color	White/Black
Dimensions(mm)(LxBxH)	1200x50x70
Shape	Linear

Line Diagram

