





Venura

SURFACE MOUNT WALL LIGHT



Application Areas



OFFICES



BANKS



HEALTHCARE



RETAIL



EDUCATIONAL
INSTITUTE



COMMON
AREA



Venura

Surface Mount Wall Light

A surface-mounted cylindrical COB adjustable light featuring an extruded aluminium housing and die-cast heat sink. Its high-efficiency COB paired with optimized optics delivers cheerful illumination with precise light distribution.

Luminaire Details


Product Name	: Venura
Product Type	: COB Wall Light
LED Type	: COB
Fixture Type	: Surface Mount
Dimmable	: No

Luminaire Source Details

Light Emission	: Indoor Focus Lighting
Source Brand	: Bridgelux / CITIZEN
CRI	: ≥80
McAdam Binning	: Step 5

Luminaire Housing

Body	: Die-Cast Aluminium
Optics	: Lens
Diffuser Type	: Clear
Operating Temperature	: -10° to 50° C
Humidity	: RH 10-90 %
IP Rating	: IP20



Ingress Protection
IP20

LM
79

LM
80



TM
21

Technical Specifications

Wattage	10W	20W	30W	20W
Product Code	VNA-SMW1-10	VNA-SMW2-20	VNA-SMW3-30	VNA-SMW4-20
Nominal Input Voltage	240V AC, 50Hz	240V AC, 50Hz	240V AC, 50Hz	240V AC, 50Hz
Luminous Flux	900*	1800*	2700*	1800*
Color Temperature	6500K/4000K/3000K	6500K/4000K/3000K	6500K/4000K/3000K	6500K/ 3000K
CRI	≥80	≥80	≥80	≥80
P.F.	>0.9	>0.9	>0.9	>0.9
THD	<10%	<10%	<10%	<10%
Surge Protection	Up to 4KV	Up to 4KV	Up to 4KV	Up to 4KV
IP Rating	IP20	IP20	IP20	IP20
Beam Angle	40°/60°	40°/60°	40°/60°	40°/60°
Mounting	Surface	Surface	Surface	Surface
Fixture Color	White/Black	White/Black	White/Black	White/Black
Dimensions(mm)(Ø)	85x135	85x160	110x160	70x116
Shape	Round Cylindrical	Round Cylindrical	Round Cylindrical	Curve Rectangular

Wattage	30W	40W
Product Code	VNA-SMW5-30	VNA-SMW6-40
Nominal Input Voltage	240V AC, 50Hz	240V AC, 50Hz
Luminous Flux	2700*	3600*
Color Temperature	6500K/4000K/3000K	6500K/4000K/3000K
CRI	≥80	≥80
P.F.	>0.9	>0.9
THD	<10%	<10%
Surge Protection	Up to 4KV	Up to 4KV
IP Rating	IP20	IP20
Beam Angle	40°/60°	40°/60°
Mounting	Surface	Surface
Fixture Color	White/Black	White/Black
Dimensions(mm)(Ø/L X B)	90x116	90x130
Shape	Curve Rectangular	Curve Rectangular

Line Diagram



Photometric Details