



# Zenith

## SUSPENDED DRUM LIGHT



### Application Areas



OFFICES



BANKS



HEALTHCARE



RETAIL



EDUCATIONAL  
INSTITUTE



COMMON  
AREA



# Zenith

## SUSPENDED DRUM LIGHT

The Zenith Suspended Drum Light features an aluminium body with an opal diffuser, offering a bright and elegant illumination. Popular for its clean form and efficient SMD LED performance, it comes in black and white with multiple radius options, with custom colours available on request. Suspended by three wires for secure mounting, it delivers both striking aesthetics and reliable light output.

### Luminaire Details


Product Name	: Zenith
Product Type	: SMD Drum Light
LED Type	: SMD
Fixture Type	: Suspended
Dimmable	: 0-10V, DALI, Phase-Cut

### Luminaire Source Details

Light Emission	: Indoor Space Lighting
Source Brand	: Bridgelux / Seoul
CRI	: ≥80
McAdam Binning	: Step 5

### Luminaire Housing

Body	: Aluminium
Reflector	: No
Diffuser Type	: Milky
Operating Temperature	: -10° to 50° C
Humidity	: RH 10-90 %
IP Rating	: IP20



Ingress Protection  
**IP20**

**LM**  
**79**



**LM**  
**80**

**TM**  
**21**

# Technical Specifications

Wattage	30W	40W	60W	80W
Product Code	ZNT-SDL-30	ZNT-SDL-40	ZNT-SDL-60	ZNT-SDL-80
Nominal Input Voltage	240V AC, 50Hz	240V AC, 50Hz	240V AC, 50Hz	240V AC, 50Hz
Luminous Flux	2500*	3400*	5100*	6800*
Color Temperature	6500K/4000K/3000K	6500K/4000K/3000K	6500K/4000K/3000K	6500K/ 3000K
CRI	≥80	≥80	≥80	≥80
P.F.	>0.95	>0.95	>0.95	>0.95
THD	<10%	<10%	<10%	<10%
Surge Protection	Up to 4KV	Up to 4KV	Up to 4KV	Up to 4KV
IP Rating	IP20	IP20	IP20	IP20
Beam Angle	120°	120°	120°	120°
Mounting	Suspended	Suspended	Suspended	Suspended
Fixture Color	White/Black	White/Black	White/Black	White/Black
Dimensions(mm)(Øxh)	450x62	600x62	750x62	900x62
Shape	Circular	Circular	Circular	Circular

Line Diagram



Photometric Details