



Sapphire-S1

LED UPLIGHTER &
SPIKE LIGHT



Application Areas



OFFICES



BANKS



HEALTHCARE



RETAIL



EDUCATIONAL
INSTITUTE



COMMON
AREA



Sapphire-S1

LED Uplighter & Spike Light

SAPPHIRE-S1 spike light cum uplighter features an elegant oval design that enhances any outdoor setting. Designed for versatile use, it effectively highlights small objects, trees, and focal elements. The fixture can be ground-mounted using the supplied spike or surface-mounted with the included base. Built with durable die-cast aluminium, it offers excellent thermal management for long-lasting, reliable performance.

Luminaire Details


Product Name	: Sapphire-S1
Product Type	: Focus Light
LED Type	: COB
Fixture Type	: Surface/Ground Mounted

Luminaire Source Details

Light Emission	: Outdoor Facade Lighting
Source Brand	: Bridgelux/ CITIZEN
CRI	: ≥70
McAdam Binning	: Step 5

Luminaire Housing

Body	: Die Cast Aluminium
Reflector	: Clear Glass
Diffuser Type	: N/A
Operating Temperature	: -10° to 50° C
Humidity	: RH 10-90 %
IP Rating	: IP65



Ingress
Protection
IP65

LM
79



LM
80

TM
21

Technical Specifications

Wattage	10W	10W
Product Code	SPRS1-SL-10	SPRS1-GL-10
Nominal Input Voltage	240V AC, 50Hz	240V AC, 50Hz
Luminous Flux	800	800
Color Temperature	5700K/4000K/3000K	5700K/4000K/3000K
CRI	≥70	≥70
P.F.	>0.95	>0.95
THD	<10%	<10%
Surge Protection	Up to 4KV	Up to 4KV
IP Rating	IP65	IP65
Beam Angle	15°/24°/38°	24°/40°/60°
Secondary Optics (Lens)	No	No
Mounting	Surface	Spike/Ground
Fixture Color	Black	Black
Dimensions(mm)(HxØ)	160x65	160x65

Line
Diagram



Photometric
Details