




Sapphire-S2

SPIKE LIGHT



Application Areas



OFFICES



BANKS



HEALTHCARE



RETAIL



EDUCATIONAL
INSTITUTE



COMMON
AREA



Sapphire-S2

Spike Light

SAPPHIRE-S2 is a compact spike light with an elegant oval design for accent lighting. Suitable for highlighting trees, plants, and focal elements, it supports ground mounting with a spike. The die-cast aluminium construction ensures efficient thermal management and long-lasting performance.

Luminaire Details


Product Name	: Sapphire-S2
Product Type	: Focus Light
LED Type	: COB
Fixture Type	: Surface/Ground Mounted

Luminaire Source Details

Light Emission	: Outdoor Facade Lighting
Source Brand	: Bridgelux/ CITIZEN
CRI	: ≥70
McAdam Binning	: Step 5

Luminaire Housing

Body	: Die Cast Aluminium
Reflector	: Yes
Diffuser Type	: Clear Glass
Operating Temperature	: -10° to 50° C
Humidity	: RH 10-90 %
IP Rating	: IP65



Ingress
Protection
IP65

LM
79



LM
80

TM
21

Technical Specifications

Wattage	4W	8W	12W
Product Code	SPRS2-SL-4	SPRS2-SL-8	SPRS2-SL-12
Nominal Input Voltage	240V AC, 50Hz	240V AC, 50Hz	240V AC, 50Hz
Luminous Flux	360	720	1080
Color Temperature	5700K/4000K/3000K	5700K/4000K/3000K	5700K/4000K/3000K
CRI	≥70	≥70	≥70
P.F.	>0.95	>0.95	>0.95
THD	<20%	<10%	<10%
Surge Protection	Up to 4KV	Up to 4KV	Up to 4KV
IP Rating	IP65	IP65	IP65
Secondary Optics (Lens)	No	No	No
Mounting	Ground	Ground	Ground
Fixture Color	Grey	Grey	Grey
Dimensions(mm)(LxBxH)	70 x 45 x 212	100x 65 x 230	100x 65 x 230

Line Diagram



Photometric Details