






Array

LED STEP LIGHT



Application Areas



OFFICES



BANKS



HEALTHCARE



RETAIL



EDUCATIONAL
INSTITUTE



COMMON
AREA



Array

LED Step Light

ARRAY is a compact, sleek foot light with a die-cast aluminium housing and high-quality LED and driver. Designed for efficient heat dissipation, it offers reliable performance for both indoor and outdoor use with IP65 ingress protection. Ideal for staircases, walls, passages, and circulation areas.

Luminaire Details


Product Name	: Array
Product Type	: LED Step Light
LED Type	: SMD
Fixture Type	: Wall Recess

Luminaire Source Details

Light Emission	: Indoor/ Outdoor Step Light
Source Brand	: Bridgelux/ Seoul
CRI	: ≥70
McAdam Binning	: Step 5

Luminaire Housing

Body	: Die Cast Aluminium
Reflector	: N/A
Operating Temperature	: -10° to 50° C
Humidity	: RH 10-90 %
IP Rating	: IP65



Ingress
Protection
IP65

LM
79

LM
80

TM
21

Technical Specifications

Wattage	3W	3W
Product Code	ARY-STL1-3	ARY-STL2-3
Nominal Input Voltage	240V AC, 50Hz	240V AC, 50Hz
Luminous Flux	240*	480*
Color Temperature	6500K/4000K/3000K	6500K/4000K/3000K
CRI	≥80	≥80
P.F.	>0.95	>0.95
THD	<10%	<10%
Surge Protection	Up to 4KV	Up to 4KV
IP Rating	IP65	IP65
Secondary Optics (Lens)	No	No
Mounting	Wall Recess	Wall Recess
Fixture Color	Grey	Grey
Dimensions(mm)(HxB)	85x50	75x135
Shape	Rectangular	Rectangular

Line Diagram

